

## SPIRIT-IPY: List of Publications

### SPOT 5 stereoscopic survey of Polar Ice: Reference Images & Topographies during the fourth International Polar Year (2007-2009)


Do not know what is the SPIRIT project?

Then, read the scientific paper below:

[http://etienne.berthier.free.fr/download/Korona\\_et\\_al\\_ISPRS\\_2009.pdf](http://etienne.berthier.free.fr/download/Korona_et_al_ISPRS_2009.pdf)

or this short 3-page summary written for the COSPAR:

[http://etienne.berthier.free.fr/download/Berthier\\_et\\_al\\_COSPAR\\_2010.pdf](http://etienne.berthier.free.fr/download/Berthier_et_al_COSPAR_2010.pdf)



#### 2008 (#1)


Stearns, L. A., Smith, B. E. and Hamilton, G. S.: Increased flow speed on a large East Antarctic outlet glacier caused by subglacial floods, *Nature Geoscience*, 1(12), 827–831, 2008.

---

#### 2009 (#2)

Korona, J., Berthier, E., Bernard, M., Remy, F. and Thouvenot, E.: SPIRIT. SPOT 5 stereoscopic survey of Polar Ice: Reference Images and Topographies during the fourth International Polar Year (2007-2009), *ISPRS J Photogramm*, 64, 204–212, doi:10.1016/j.isprsjprs.2008.10.005, 2009.





Memin, A., Rogister, Y., Hinderer, J., Llubes, M., Berthier, E. and Boy, J.-P.: Ground deformation and gravity variations modelled from present-day ice-thinning in the vicinity of glaciers, *Journal of Geodynamics*, 48(3-5), 195–203, doi:10.1016/j.jog.2009.09.006, 2009.

-----  
**2010 (#8)**

Berthier, E.: Volume loss from Bering Glacier (Alaska), 1972 – 2003: comment on Muskett and others (2009), *J Glaciol*, 56(197), 555–557, 2010.

Berthier, E., Schiefer, E., Clarke, G. K. C., Menounos, B. and Remy, F.: Contribution of Alaskan glaciers to sea-level rise derived from satellite imagery, *Nat Geosci*, 3(2), 92–95, doi:10.1038/ngeo737, 2010.

Moholdt, G., Nuth, C., Hagen, J. O. and Kohler, J.: Recent elevation changes of Svalbard glaciers derived from repeat track ICESat altimetry, *Remote Sensing of the Environment*, 114(11), 2756–2767, 2010.

Motyka, R. J., Fahnestock, M. and Truffer, M.: Volume Change of Jakobshavn Isbrae, West Greenland: 1985 – 1997 – 2007, *Journal of Glaciology*, 56(198), 635–646, 2010.

Murray, T., Scharrer, K., James, T. D., Dye, S. R., Hanna, E., Booth, A. D., Selmes, N., Luckman, A., Hughes, A. L. C., Cook, S. and Huybrechts, P.: Ocean-regulation hypothesis for glacier dynamics in south-east Greenland and implications for ice-sheet mass changes, *Journal of Geophysical Research*, 115,(F03026), doi:10.1029/2009JF001522, 2010.

Nuth, C., Moholdt, G., Kohler, J., Hagen, J. O. and Kääb, A.: Svalbard glacier elevation changes and contribution to sea level rise, *Journal of Geophysical Research-Earth Surface*, 115, F01008, doi:10.1029/2008JF001223, 2010.

Pritchard, H. D., Luthcke, S. B. and Fleming, A. H.: Understanding ice-sheet mass balance: progress in satellite altimetry and gravimetry, *Journal of Glaciology*, 56(200), 1151–1160, 2010.


Sund, M. and Eiken, T.: Recent surges on Blomstrandbreen, Comfortlessbreen and Nathorstbreen, Svalbard, *Journal of Glaciology*, 56(195), 182–184, 2010.

-----  
**2011 (#16)**

Adalgeirsdóttir, G., Gudmundsson, S., Björnsson, H., Pálsson, F., Jóhannesson, T., Hannesdóttir, H., Sigurdsson, S. Þ. and Berthier, E.: Modelling the 20th and 21st century evolution of Hoffellsjökull glacier, SE-Vatnajökull, Iceland, *The Cryosphere*, 5(4), 961–975, doi:10.5194/tc-5-961-2011, 2011.

Bindschadler, R., Choi, H., Wieliczko, A., Bingham, R., Bohlander, J., Brunt, K., Corr, H., Drews, R., Fricker, H., Hall, M., Hindmarsh, R., Kohler, J., Padman, L., Rack, W., Rotschky, G., Urbini, S., Vornberger, P. and Young, N.: Getting around Antarctica:





new high-resolution mappings of the grounded and freely-floating boundaries of the Antarctic ice sheet created for the International Polar Year, *The Cryosphere*, 5(3), 569–588, doi:10.5194/tc-5-569-2011, 2011.

Bliss, A. K., Cuffey, K. M. and Kavanaugh, J. L.: Sublimation and surface energy budget of Taylor Glacier, Antarctica, *Journal of Glaciology*, 57(204), 684–696, 2011.

Favier, V., Agosta, C., Genthon, C., Arnaud, L., Trouvillez, A. and Gallee, H.: Modeling the mass and surface heat budgets in a coastal blue ice area of Adelie Land, Antarctica, *Journal of Geophysical Research-Earth Surface*, 116, 2011.

Foy, N., Copland, L., Zdanowicz, C., Demuth, M. and Hopkinson, C.: Recent volume and area changes of Kaskawulsh Glacier, Yukon, Canada, *Journal of Glaciology*, 57(203), 515–525, 2011.

Gudmundsson, S., Björnsson, H., Magnússon, E., Berthier, E., Pálsson, F., Gudmundsson, M. T., Högnadóttir, T. and Dall, J.: Response of Eyjafjallajökull, Torfajökull and Tindfjallajökull ice caps in Iceland to regional warming, deduced by remote sensing, *Polar Research*, 30(7282), doi:10.3402/polar.v30i0.7282, 2011.

Howat, I., Ahn, Y., Joughin, I., Van den Broeke, M., Lenaerts, J. and Smith, B.: Mass balance of Greenland's three largest outlet glaciers, 2000–2010, *Geophysical Research Letters*, 38, L12501, doi:10.1029/2011GL047565, 2011.

McFadden, E. M., Howat, I. M., Joughin, I., Smith, B. E. and Ahn, Y.: Changes in the dynamics of marine-terminating outlet glaciers in west Greenland (2000–2009), *Journal of Geophysical Research - Earth Surface*, 116(F02022), doi:10.1029/2010JF001757, 2011.

Memin, A., Rogister, Y., Hinderer, J., Omang, O. C. and Luck, B.: Secular gravity variation at Svalbard (Norway) from ground observations and GRACE satellite data, *Geophys. J. Int.*, in press, doi:10.1111/j.1365-246X.2010.04922.x, 2011.


Nuth, C. and Kääb, A.: Co-registration and bias corrections of satellite elevation data sets for quantifying glacier thickness change, *Cryosphere*, 5(1), 271–290, doi:10.5194/tcd-4-2013-2010, 2011.

Rasmussen, L. A., Conway, H., Krimmel, R. M. and Hock, R.: Surface mass balance, thinning and iceberg production, Columbia Glacier, Alaska, 1948–2007, *Journal of Glaciology*, 57(203), 2011.

Rolstad Denby, C. and Hulth, J.: Assessment of differentiated surface elevation data from 1949, 1975 and 2008 for estimates of ice-volume changes at Jan Mayen, *Journal of Glaciology*, 57(205), 976–980, 2011.

Scambos, T. A., Berthier, E. and Shuman, C. A.: The triggering of sub-glacial lake drainage during the rapid glacier drawdown: Crane Glacier, Antarctic Peninsula, *Ann Glaciol*, 52(59), 74–82, 2011.





Shuman, C. A., Berthier, E. and Scambos, T. A.: 2001-2009 elevation and mass losses in the Larsen A and B embayments, Antarctic Peninsula, *J Glaciol*, 57(204), 737–754, 2011.

Stearns, L. A.: Dynamics and mass balance of four large East Antarctic outlet glaciers, *Annals of Glaciology*, 52(59), 116–126, 2011.

Sund, M., Eiken, T. and Rolstad Denby, C.: Velocity structure, front position changes and calving of the tidewater glacier Kronebreen, Svalbard, *The Cryosphere Discuss.*, 5(1), 41–73, doi:10.5194/tcd-5-41-2011, 2011.

-----  
**2012 (#21)**

Berthier, E., Scambos, T. A. and Shuman, C. A.: Mass loss of Larsen B tributary glaciers (Antarctic Peninsula) unabated since 2002, *Geophys Res Lett*, 39(L13501), doi:10.1029/2012GL051755, 2012.

Bjork, A. A., Kjaer, K. H., Korsgaard, N. J., Khan, S. A., Kjeldsen, K. K., Andresen, C. S., Box, J. E., Larsen, N. K. and Funder, S.: An aerial view of 80 years of climate-related glacier fluctuations in southeast Greenland, *Nature Geosci*, 5(6), 427–432, 2012.

Cogley, G.: No ice lost in the Karakoram, *Nature Geoscience*, 5(5), 305–306, 2012.

Cook, A. J., Murray, T., Luckman, A., Vaughan, D. G. and Barrand, N. E.: A new 100-m Digital Elevation Model of the Antarctic Peninsula derived from ASTER Global DEM: methods and accuracy assessment, *Earth System Science Data*, 4, 129–142, doi:10.5194/essd-4-129-2012, 2012.

Davies, B. J., Carrivick, J. L., Glasser, N. F., Hambrey, M. J. and Smellie, J. L.: Variable glacier response to atmospheric warming, northern Antarctic Peninsula, 1988–2009, *The Cryosphere*, 6(5), 1031–1048, 2012.

Dunse, T., Schuler, T. V., Hagen, J. O. and Reijmer, C. H.: Seasonal speed-up of two outlet glaciers of Austfonna, Svalbard, inferred from continuous GPS measurements, *Cryosphere*, 6(2), 453–466, doi:10.5194/tc-6-453-2012, 2012.


Eiken, T. and Sund, M.: Photogrammetric methods applied to Svalbard glaciers: accuracies and challenges, *Polar Research*, 31(18671), doi:10.3402/polar.v31i0.18671, 2012.

Friedt, J.-M., Tolle, F., Bernard, E., Griselin, M., Laffly, D. and Marlin, C.: Assessing the relevance of digital elevation models to evaluate glacier mass balance: application to Austre Lovénbreen (Spitsbergen, 79°N), *Polar Record*, 48(244), 2–10, 2012.

Gardelle, J., Berthier, E. and Arnaud, Y.: Impact of resolution and radar penetration on glacier elevation changes computed from multi-temporal DEMs, *Journal of Glaciology*, 58(208), 419–422, 2012a.

Gardelle, J., Berthier, E. and Arnaud, Y.: Slight mass gain of Karakorum glaciers in the early 21st century, *Nat Geosci*, 5(5), 322–325, doi:10.1038/ngeo1450, 2012b.






- Gardner, A. S., Moholdt, G., Arendt, A. A. and Wouters, B.: Accelerated contributions of Canada's Baffin and Bylot Island glaciers to sea level rise over the past half century, *The Cryosphere*, 6(5), 1103–1125, doi:10.5194/tc-6-1103-2012, 2012.
- Magnússon, E., Gudmundsson, M. T., Roberts, M. J., Sigurdsson, G., Höskuldsson, F. and Oddsson, B.: Ice-volcano interactions during the 2010 Eyjafjallajökull eruption, as revealed by airborne imaging radar, *Journal of Geophysical Research - Solid Earth*, 117(B07405), 1–17, 2012.
- Memin, A., Hinderer, J. and Rogister, Y.: Separation of the Geodetic Consequences of Past and Present Ice-Mass Change: Influence of Topography with Application to Svalbard (Norway), *Pure and Applied Geophysics*, 169(8), 1357–1372, 2012.
- Moholdt, G. and Kaab, A.: A new DEM of the Austfonna ice cap by combining differential SAR interferometry with ICESat laser altimetry, *Polar Res*, 31(1840), 1–11, doi:10.3402/polar.v31i0.18460, 2012.
- Moholdt, G., Wouters, B. and Gardner, A. S.: Recent mass changes of glaciers in the Russian High Arctic, *Geophys Res Lett*, 39, L10502, 2012.
- Nielsen, K., Khan, S. A., Korsgaard, N. J., Kjaer, K. H., Wahr, J., Bevis, M., Stearns, L. A. and Timm, L. H.: Crustal uplift due to ice mass variability on Upernivik Isstrom, west Greenland, *Earth and Planetary Science Letters*, 353, 182–189, 2012.
- Nuth, C., Schuler, T. V., Kohler, J., Altema, B. and Hagen, J. O.: Estimating the long-term calving flux of Kronebreen, Svalbard, from geodetic elevation changes and mass-balance modelling, *Journal of Glaciology*, 58(207), 119–133, 2012.
- Palsson, F., Gudmundsson, S., Bjornsson, H., Berthier, E., Magnusson, E., Gudmundsson, S. and Haraldsson, H.: Mass and volume changes of Langjökull ice cap, Iceland, ~1890 to 2009, deduced from old maps, satellite images and in situ mass balance measurements, *Jökull*, 62, 81–96, 2012.
- Van Pelt, W. J. J., Oerlemans, J., Reijmer, C. H., Pohjola, V. A., Pettersson, R. and van Angelen, J. H.: Simulating melt, runoff and refreezing on Nordenskiöldbreen, Svalbard, using a coupled snow and energy balance model, *The Cryosphere*, 6(3), 641–659, doi:10.5194/tc-6-641-2012, 2012.
- Pettersson, R., Christoffersen, P., Dowdeswell, J. A., Pohjola, V. A., Hubbard, A. and Strozzi, T.: Ice Thickness and Basal Conditions of Vestfonna Ice Cap, Eastern Svalbard, *Geografiska Annaler Series a-Physical Geography*, 93A(4), 311–322, 2012.
- Schneevoigt, N. J., Sund, M., Bogren, W., Kaab, A. and Weydahl, D. J.: Glacier displacement on Comfortlessbreen, Svalbard, using 2-pass differential SAR interferometry (DInSAR) with a digital elevation model, *Polar Record*, 48(244), 17–25, 2012.


-----  
**2013 (#18)**





- Barrand, N. E., Hindmarsh, R. C. A., Arthern, R. J., Williams, C. R., Mouginot, J., Scheuchl, B., Rignot, E., Ligtenberg, S. R. M., van den Broeke, M. R., Edwards, T. L., Cook, A. J. and Simonsen, S. B.: Computing the volume response of the Antarctic Peninsula ice sheet to warming scenarios to 2200, *Journal of Glaciology*, 59(215), 397–409, doi:10.3189/2013JoG12J139, 2013.
- Bernard, E., Friedt, J. M., Tolle, F., Griselin, M., Martin, G., Laffly, D. and Marlin, C.: Monitoring seasonal snow dynamics using ground based high resolution photography (Austre Lovenbreen, Svalbard, 79 degrees N), *ISPRS J Photogramm*, 75, 92–100, doi:10.1016/j.isprsjprs.2012.11.001, 2013.
- Danielson, B. and Sharp, M.: Development and application of a time-lapse photograph analysis method to investigate the link between tidewater glacier flow variations and supraglacial lake drainage events, *Journal of Glaciology*, 59(214), 287–302, doi:10.3189/2013JoG12J108, 2013.
- Enderlin, E. M. and Howat, I. M.: Submarine Melt Rate Estimates for Floating Termini of Greenland Outlet Glaciers (2000–2010), *Journal of Glaciology*, 59(213), 67–75, doi:10.3189/2013JoG12J049, 2013.
- Farinotti, D., Corr, H. and Gudmundsson, G. H.: The ice thickness distribution of Flask Glacier, Antarctic Peninsula, determined by combining radio-echo soundings, surface velocity data and flow modelling, *Annals of Glaciology*, 54(63), 18–24, doi:10.3189/2013AoG63A603, 2013.
- Flament, T., Berthier, E. and Rémy, F.: Cascading water underneath Wilkes Land, East Antarctic Ice Sheet, observed using altimetry and digital elevation models, *The Cryosphere Discussion*, 7, 841–871, doi:10.5194/tcd-7-841-2013, 2013.
- Fretwell, P., Pritchard, H. D., Vaughan, D. G., Bamber, J. L., Barrand, N. E., Bell, R., Bianchi, C., Bingham, R. G., Blankenship, D. D., Casassa, G., Catania, G., Callens, D., Conway, H., Cook, A. J., Corr, H. F. J., Damaske, D., Damm, V., Ferraccioli, F., Forsberg, R., Fujita, S., Gim, Y., Gogineni, P., Griggs, J. A., Hindmarsh, R. C. A., Holmlund, P., Holt, J. W., Jacobel, R. W., Jenkins, A., Jokat, W., Jordan, T., King, E. C., Kohler, J., Krabill, W., Riger-Kusk, M., Langley, K. A., Leitchenkov, G., Leuschen, C., Luyendyk, B. P., Matsuoka, K., Mouginot, J., Nitsche, F. O., Nogi, Y., Nost, O. A., Popov, S. V., Rignot, E., Rippin, D. M., Rivera, A., Roberts, J., Ross, N., Siegert, M. J., Smith, A. M., Steinhage, D., Studinger, M., Sun, B., Tinto, B. K., Welch, B. C., Wilson, D., Young, D. A., Xiangbin, C. and Zirizzotti, A.: Bedmap2: improved ice bed, surface and thickness datasets for Antarctica, *The Cryosphere*, 7(1), 375–393, doi:10.5194/tc-7-375-2013, 2013.
- Gardelle, J., Berthier, E., Arnaud, Y. and Kääb, A.: Region-wide glacier mass balances over the Pamir-Karakoram-Himalaya during 1999–2011, *The Cryosphere*, 7, 1263–1286, doi:10.5194/tc-7-1263-2013, 2013.





- Habermann, M., Truffer, M. and Maxwell, D.: Changing basal conditions during the speed-up of Jakobshavn Isbrae, Greenland, *The Cryosphere Discussion*, 7(3), 2153–2190, doi:10.5194/tcd-7-2153-2013, 2013.
- Howat, I. M., de la Peña, S., van Angelen, J. H., Lenaerts, J. T. M. and van den Broeke, M. R.: Brief Communication “Expansion of meltwater lakes on the Greenland Ice Sheet,” *The Cryosphere*, 7(1), 201–204, doi:10.5194/tc-7-201-2013, 2013.
- Johannesson, T., Bjornsson, H., Magnusson, E., Gudmundsson, S., Palsson, F., Sigurdsson, O., Thorsteinsson, T. and Berthier, E.: Ice-volume changes, bias-estimation of mass-balance measurements and changes in subglacial lakes derived by LiDAR-mapping of the surface of Icelandic glaciers, *Ann Glaciol*, 54(63), 63–74, doi:10.3189/2013AoG63A422, 2013.
- Levinsen, J. F., Howat, I. M. and Tscherning, C. C.: Improving maps of ice sheet surface elevation change using combined laser altimeter and stereoscopic elevation model data, *Journal of Glaciology*, 59(215), 524–532, doi:10.3189/2013JoG12J114, 2013.
- Le Meur, E., Sacchettini, M., Garambois, S., Berthier, E., Drouet, A. S., Durand, G., Young, D. A., Greenbaum, J. S., Rignot, E., Mouginot, J., Gim, Y., Holt, J. W., de Fleurian, B., Gagliardini, O. and Gillet-Chaulet, F.: Two independent methods for mapping the grounding line of an outlet glacier; example from the Astrolabe Glacier, Terre Adelie, Antarctica, *The Cryosphere*, 2013.
- Nuth, C., Kohler, J., König, M., von Deschwanden, A., Hagen, J. O., Kääb, A., Moholdt, G. and Pettersson, R.: Decadal changes from a multi-temporal glacier inventory of Svalbard, *The Cryosphere Discussion*, 7(3), 2489–2532, doi:10.5194/tcd-7-2489-2013, 2013.
- Van Pelt, W. J. J., Oerlemans, J., Reijmer, C. H., Pettersson, R., Pohjola, V. A., Isaksson, E. and Divine, D.: An iterative inverse method to estimate basal topography and initialize ice flow models, *The Cryosphere*, 7, 987–1006, doi:10.5194/tc-7-987-2013, 2013.
- Sylvestre, T., Copland, L., Demuth, M. N. and Sharp, M.: Spatial patterns of snow accumulation across Belcher Glacier, Devon Ice Cap, Nunavut, Canada, *J Glaciol*, 59(217), 874–882, doi:0.3189/2013JoG12J227, 2013.
- Trüssel, B. L., Motyka, R. J., Truffer, M. and Larsen, C. F.: Rapid thinning of lake-calving Yakutat Glacier and the collapse of the Yakutat Icefield, Southeast Alaska, USA, *Journal of Glaciology*, 59(213), 149–161, doi:10.3189/2013J0G12J081, 2013.
- Vincent, C., Ramanathan, A., Wagnon, P., Dobhal, D. P., Linda, A., Berthier, E., Sharma, P., Arnaud, Y., Azam, M. F., Jose, P. G. and Gardelle, J.: Balanced conditions or slight mass gain of glaciers in the Lahaul and Spiti region (northern India, Himalaya) during the nineties preceded recent mass loss, *The Cryosphere*, 7(2), 569–582, doi:10.5194/tc-7-569-2013, 2013.

